

---

## Action Steps for Students, Faculty, and Staff to Prevent the Spread of Flu

---

The Centers for Disease Control and Prevention (CDC) recommends 4 main ways you may keep from getting sick with the flu:

1. **Practice good hand hygiene** by washing your hands often with soap and water, especially after coughing or sneezing. Alcohol-based hand cleaners are also effective.
2. **Cover your mouth and nose with a tissue when you cough or sneeze.**  
If you don't have a tissue, cough or sneeze into your elbow or shoulder; not into your hands.
3. **Stay home or at your place of residence if you are sick** for at least 24 hours after you no longer have a fever (100 degrees Fahrenheit or 38 degrees Celsius) or signs of a fever (have chills, feel very warm, have a flushed appearance, or are sweating). This should be determined without the use of fever-reducing medications (any medicine that contains ibuprofen or acetaminophen). Staying away from others while sick can prevent others from getting sick too. Ask a roommate, friend, or family member to check up on you and to bring you food and supplies if needed.
4. **Talk to your health care provider** to find out if you should be vaccinated for seasonal flu and/or 2009 H1N1 flu. Information about 2009 H1N1 flu vaccination can be found at: [www.cdc.gov/h1n1flu/vaccination](http://www.cdc.gov/h1n1flu/vaccination). Information about seasonal flu vaccine can be found at: [www.cdc.gov/flu/protect/keyfacts.htm](http://www.cdc.gov/flu/protect/keyfacts.htm).

If flu conditions become MORE severe, students, faculty, and staff should consider the following steps:

- **Extend the time you stay home or at your residence** to at least 7 days, even if you feel better sooner. If you are still sick after 7 days, continue to stay home until at least 24 hours after your symptoms have completely gone away. Symptoms of flu include fever or chills *and* cough or sore throat. In addition, symptoms of flu can include runny nose, body aches, headache, tiredness, diarrhea, or vomiting.
- **Prepare for the possibility suspension of classes** by planning to continue your work at home (e.g., homework packets, Web-based lessons, phone calls), and find a place where you can stay either by going to your home, home of a relative, or close friend of the family.

Follow these steps now to prepare for the flu during the 2009-2010 flu season:

- Cover your mouth and nose with a tissue when you cough or sneeze. Cover coughs or sneezes using your elbow or shoulder instead of your hands when a tissue is not available.
- Wash your hands often with soap and water, especially after coughing or sneezing. Alcohol-based hand cleaners are also effective.
- Frequently clean your living quarters. If you live together with other students, you should frequently clean commonly-used surfaces such as doorknobs, refrigerator handles, remote controls, computer keyboards, countertops, faucet handles, and bathroom areas.
- Plan to monitor your health by checking for fever and other symptoms of flu.
- Talk with your health care provider if you are at higher risk for complications from flu.
- Update emergency contact lists.
- Learn more about your institution's pandemic response plan.

**For more information:**

- Visit: [www.flu.gov](http://www.flu.gov)
- Contact CDC 24 Hours/Every Day
  - 1-800-CDC-INFO (232-4636)
  - TTY: (888) 232-6348
  - [cdcinfo@cdc.gov](mailto:cdcinfo@cdc.gov)